



Taski Sani Clonet W4f

Revision: 2018-01-25

Version: 06.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Taski Sani Clonet W4f

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P307 - Descaling agent. Manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1C (H314)

Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains alkylbenzenesulphonic acid (Dodecylbenzene Sulfonic Acid).

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight |
|---------------|-----------|------------|--------------|----------------|-------|--------|
|---------------|-----------|------------|--------------|----------------|-------|--------|

Taski Sani Clonet W4f

| | | | | | percent |
|----------------------------|-----------|------------|--------------------|---|---------|
| sulphamic acid | 226-218-8 | 5329-14-6 | 01-2119488633-28 | Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412) | 3-10 |
| alkylbenzenesulphonic acid | 287-494-3 | 85536-14-7 | 01-2111-9490234-40 | Skin Corr. 1C (H314) Acute Tox. 4 (H302) Aquatic Chronic 3 (H412) | 3-10 |

* Polymer.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Taski Sani Clonet W4f

Measures to prevent aerosol and dust generation:

Avoid formation of aerosol.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|----------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sulphamic acid | - | - | - | 1.06 |
| alkylbenzenesulphonic acid | - | - | - | 0.85 |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|----------------------------|----------------------------|--|---------------------------|---|
| sulphamic acid | No data available | - | No data available | - |
| alkylbenzenesulphonic acid | - | - | - | 170 |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|----------------------------|----------------------------|--|---------------------------|---|
| sulphamic acid | No data available | - | No data available | - |
| alkylbenzenesulphonic acid | - | - | - | 85 |

DNEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|----------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sulphamic acid | - | - | - | 7.5 |
| alkylbenzenesulphonic acid | - | - | 12 | 12 |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|----------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sulphamic acid | - | - | - | 1.85 |
| alkylbenzenesulphonic acid | - | - | 3 | 3 |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|----------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| sulphamic acid | 0.3 | 0.03 | 0.3 | 200 |
| alkylbenzenesulphonic acid | 0.278 | 0.0287 | 0.0167 | 3.43 |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m ³) |
|----------------|------------------------------|--------------------------|--------------|--------------------------|
| sulphamic acid | 0.3 | 0.03 | 3 | - |

Taski Sani Clonet W4f

| | | | | |
|----------------------------|-------|-------|----|---|
| alkylbenzenesulphonic acid | 0.287 | 0.287 | 35 | - |
|----------------------------|-------|-------|----|---|

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min
Material thickness: >= 0.7 mm
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30 min
Material thickness: >= 0.4 mm
In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear, Red
Odour: Slightly perfumed
Odour threshold: Not applicable
pH: < 2 (neat)
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|----------------------------|------------|------------------|----------------------------|
| sulphamic acid | 205 | Method not given | 1013 |
| alkylbenzenesulphonic acid | 190 | Method not given | |

Method / remark

Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)
Evaporation rate: Not determined
Flammability (solid, gas): Not determined
Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|----------------------------|------------|------------------|------------------|
| sulphamic acid | 0 | Method not given | 20 |
| alkylbenzenesulphonic acid | 0.15 | | 20 |

Method / remark

Vapour density: Not determined
Relative density: Not determined

Taski Sani Clonet W4f

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|----------------------------|-------------|------------------|------------------|
| sulphamic acid | 213 | Method not given | 20 |
| alkylbenzenesulphonic acid | > 10 | Method not given | 20 |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: ≈ 94 mPa.s (20 °C)
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Corrosive

Not relevant to classification of this product
 Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with alkali and metals. Keep away from products containing chlorine-based bleaching agents or sulphites.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|----------------------------|------------------|---------------|---------|-------------------|-------------------|
| sulphamic acid | LD ₅₀ | 2065 | Rat | Method not given | |
| alkylbenzenesulphonic acid | LD ₅₀ | > 1470 | Rat | OECD 401 (EU B.1) | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|----------------------------|------------------|-------------------|---------|-------------------|-------------------|
| sulphamic acid | | No data available | | | |
| alkylbenzenesulphonic acid | LD ₅₀ | > 2000 | Rat | OECD 402 (EU B.3) | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|----------------|----------|-------------------|---------|--------|-------------------|
| sulphamic acid | | No data available | | | |

Taski Sani Clonet W4f

| | | | | |
|----------------------------|--|-------------------|--|--|
| alkylbenzenesulphonic acid | | No data available | | |
|----------------------------|--|-------------------|--|--|

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|----------------------------|-----------|---------|-------------------|---------------|
| sulphamic acid | Irritant | Rabbit | OECD 404 (EU B.4) | |
| alkylbenzenesulphonic acid | Corrosive | Rabbit | OECD 404 (EU B.4) | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|----------------------------|---------------|---------|-------------------|---------------|
| sulphamic acid | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| alkylbenzenesulphonic acid | Severe damage | Rabbit | OECD 405 (EU B.5) | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|----------------------------|-------------------|---------|--------|---------------|
| sulphamic acid | No data available | | | |
| alkylbenzenesulphonic acid | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|----------------------------|-------------------|------------|--------------------------|-------------------|
| sulphamic acid | No data available | | | |
| alkylbenzenesulphonic acid | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|----------------------------|-------------------|---------|--------|---------------|
| sulphamic acid | No data available | | | |
| alkylbenzenesulphonic acid | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|----------------------------|---|--------------------------------|---|--------------------|
| sulphamic acid | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |
| alkylbenzenesulphonic acid | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) OECD 473 | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |

Carcinogenicity

| Ingredient(s) | Effect |
|----------------------------|---|
| sulphamic acid | No data available |
| alkylbenzenesulphonic acid | No evidence for carcinogenicity, weight-of-evidence |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|----------------------------|----------|---------------------|--------------------|---------|-------------|---------------|------------------------------------|
| sulphamic acid | | | No data available | | | | |
| alkylbenzenesulphonic acid | NOAEL | Teratogenic effects | 300 | Rat | Read across | 20 day(s) | |

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|----------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| sulphamic acid | | No data available | | | | |
| alkylbenzenesulphonic acid | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|----------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| sulphamic acid | | No data available | | | | |
| alkylbenzenesulphonic acid | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|----------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| sulphamic acid | | No data | | | | |

Taski Sani Clonet W4f

| | | | | | | |
|----------------------------|--|-------------------|--|--|--|--|
| | | available | | | | |
| alkylbenzenesulphonic acid | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|----------------------------|----------------|----------|--------------------|---------|-------------|---------------|--------------------------------------|--------|
| sulphamic acid | | | No data available | | | | | |
| alkylbenzenesulphonic acid | Oral | NOAEL | 85 | Rat | Read across | 9 month(s) | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|----------------------------|-------------------|
| sulphamic acid | No data available |
| alkylbenzenesulphonic acid | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|----------------------------|-------------------|
| sulphamic acid | No data available |
| alkylbenzenesulphonic acid | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|----------------------------|------------------|--------------|----------------------------|-------------------|-------------------|
| sulphamic acid | LC ₅₀ | 70.3 | <i>Pimephales promelas</i> | Method not given | 96 |
| alkylbenzenesulphonic acid | LC ₅₀ | 1 - 10 | <i>Cyprinus carpio</i> | OECD 203 (EU C.1) | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|----------------------------|------------------|-------------------|-----------------------------|-------------------|-------------------|
| sulphamic acid | | No data available | | | - |
| alkylbenzenesulphonic acid | EC ₅₀ | 1 - 10 | <i>Daphnia magna Straus</i> | OECD 202 (EU C.2) | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|----------------------------|------------------|-------------------|--------------------------------|-------------------|-------------------|
| sulphamic acid | | No data available | | | - |
| alkylbenzenesulphonic acid | EC ₅₀ | 10 - 100 | <i>Desmodesmus subspicatus</i> | OECD 201 (EU C.3) | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|----------------------------|----------|-------------------|---------|--------|----------------------|
| sulphamic acid | | No data available | | | - |
| alkylbenzenesulphonic acid | | No data available | | | - |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|----------------------------|------------------|-------------------|---------------------------|------------------|---------------|
| sulphamic acid | EC ₁₀ | > 1000 | <i>Pseudomonas putida</i> | Method not given | 16 hour(s) |
| alkylbenzenesulphonic acid | | No data available | | | |

Taski Sani Clonet W4f

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|----------------------------|----------|-------------------|----------------------------|-------------|---------------|------------------|
| sulphamic acid | | No data available | | | | |
| alkylbenzenesulphonic acid | NOEC | 0.1 - 1 | <i>Lepomis macrochirus</i> | Read across | 28 day(s) | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|----------------------------|----------|-------------------|----------------------|-------------|---------------|------------------|
| sulphamic acid | | No data available | | | | |
| alkylbenzenesulphonic acid | NOEC | 1 - 10 | <i>Not specified</i> | Read across | 32 day(s) | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|---------------------------|---------|--------|----------------------|------------------|
| sulphamic acid | | No data available | | | - | |
| alkylbenzenesulphonic acid | | No data available | | | - | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|------------------|-----------------------|-----------------------|----------|----------------------|------------------|
| sulphamic acid | | No data available | | | - | |
| alkylbenzenesulphonic acid | LD ₅₀ | > 1000 | <i>Eisenia fetida</i> | OECD 207 | 14 | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|------------------|-----------------------|---------|----------|----------------------|------------------|
| sulphamic acid | | No data available | | | - | |
| alkylbenzenesulphonic acid | EC ₅₀ | 167 | | OECD 208 | 21 | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-------------------|---------|--------|----------------------|------------------|
| sulphamic acid | | No data available | | | - | |
| alkylbenzenesulphonic acid | | No data available | | | - | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sulphamic acid | | No data available | | | - | |
| alkylbenzenesulphonic acid | | No data available | | | - | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sulphamic acid | | No data available | | | - | |
| alkylbenzenesulphonic acid | | No data available | | | - | |

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical | DT ₅₀ | Method | Evaluation |
|---------------|----------|------------|------------------|--------|------------|
|---------------|----------|------------|------------------|--------|------------|

Taski Sani Clonet W4f

| | | method | | | |
|----------------------------|--|--------|-------------------|-----------|--------------------------------------|
| sulphamic acid | | | | | Not applicable (inorganic substance) |
| alkylbenzenesulphonic acid | | | 94 % in 28 day(s) | OECD 301A | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|----------------------------|-------|------------------|-----------------------------------|--------|
| sulphamic acid | 0.1 | | No bioaccumulation expected | |
| alkylbenzenesulphonic acid | 3.2 | Method not given | Low potential for bioaccumulation | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|----------------------------|-------------------|---------|------------------|-----------------------------------|--------|
| sulphamic acid | No data available | | | | |
| alkylbenzenesulphonic acid | 2 - 500 | | Method not given | Low potential for bioaccumulation | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|----------------------------|--------------------------------|-------------------------------------|--------|--------------------|----------------------|
| sulphamic acid | No data available | | | | |
| alkylbenzenesulphonic acid | No data available | | | | Low mobility in soil |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 14* - acids.


Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1760

14.2 UN proper shipping name:

Corrosive liquid, n.o.s. (sulphamic acid , alkylsulphonic acid)

14.3 Transport hazard class(es):

Class: 8

Label(s): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C9

Taski Sani Clonet W4f

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants

< 5%

perfumes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4966

Version: 06.2

Revision: 2018-01-25

Reason for revision:

This data sheet contains changes from the previous version in section(s): 2, 3, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate

End of Safety Data Sheet