



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 7/22/2019 Version: 10.2

Generated : 22/07/2019

SECTION 1: Identification of the sub	bstance/mixture and of the company/undertaking
1.1. Product identifier Product form	: Mixture
Product name	
	: SELFREEZE
Product code	: K003
Type of product	: Aerosol
Vaporizer	: Aerosol
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Removes Chewing Gum & Sticky Substances
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safety	data sheet
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone number	
Emergency number	Mon to Fri 8.30am to 5.00pm - 01298 26226
SECTION 2: Hazards identification	
2.1. Classification of the substance or n	nixture
Classification according to Regulation (EC) Aerosol, Category 1	No. 1272/2008 [CLP]Mixtures: SDS < 2015 : Show CLP information only H222;H229
Full text of H statements : see section 16	
Adverse physicochemical, human health and No additional information available	d environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP)	1272/2008 [CLP]
	GHS02
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
2.3. Other hazards No additional information available	

SECTION 3: Composition/information on ingredients 3.1. Substances Not applicable

SELFREEZE

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane substance with national workplace exposure limit(s) (GB)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0	30 - 60	F+; R12	Flam. Gas 1, H220 Press. Gas

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Get medical advice/attention if you feel unwell.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash with plenty of water/	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: Causes eye irritation.	
Symptoms/effects after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.	
4.3. Indication of any immediate medical att	ention and special treatment needed	
Treat symptomatically.		

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2. Special hazards arising from the subs	stance or mixture	
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Explosion risk in case of fire.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers.	
SECTION 6: Accidental release measurement	Jres la	
6.1. Personal precautions, protective equi	pment and emergency procedures	
General measures	: Remove ignition sources.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Use personal protective equipment as required.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containmen	t and cleaning up	
For containment	: Collect spillage.	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.	
6.4. Reference to other sections		
For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.		
SECTION 7: Handling and storage		

SECTION 7. Handling and Storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Do not pierce or burn, even after use.
Precautions for safe handling	: Do not spray on an open flame or other ignition source.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures	: Does not require any specific or particular technical measures.

SELFREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions	: Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

butane (106-97-8)		
United Kingdom	Local name	Butane
United Kingdom	WEL TWA (mg/m³)	1450 mg/m³
United Kingdom	WEL TWA (ppm)	600 ppm
United Kingdom	WEL STEL (mg/m ³)	1810 mg/m³
United Kingdom	WEL STEL (ppm)	750 ppm
United Kingdom	Remark (WEL)	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)

8.2. Exposure controls

Materials for protective clothing:

Not required for normal conditions of use

Hand protection:

In case of repeated or prolonged contact wear gloves

Eye protection:

Not required for normal conditions of use

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

Not required for normal conditions of use

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Aerosol.	
Colour	: Colourless.	
Odour	: odourless.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.71	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	

SELFREEZE		K003
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with	h its amendment Regulation (EU) 2015/830	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity Pressurised container: May burst if heated.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
Direct sunlight. Heat. Open flame.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		

No additional information available

SECTION 11: Toxicological inform 11.1. Information on toxicological eff	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Vaporizer	Aerosol
SECTION 12: Ecological information	

DECTION 12. Ecological mormation	
12.1. Toxicity	
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Do not pierce or burn, even after use.

SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN

SELFREEZE K003 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 14.1. UN number UN-No. (ADR) : 1950 UN-No. (IMDG) : 1950 UN-No. (IATA) : 1950 14.2. UN proper shipping name : AEROSOLS Proper Shipping Name (ADR) Proper Shipping Name (IMDG) : AEROSOLS Proper Shipping Name (IATA) : Aerosols, flammable Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D) Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1 Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1 14.3. Transport hazard class(es) ADR Transport hazard class(es) (ADR) : 2.1 Danger labels (ADR) : 2.1 IMDG Transport hazard class(es) (IMDG) : 2.1 Danger labels (IMDG) : 2.1 ΙΑΤΑ : 2.1 Transport hazard class(es) (IATA) Hazard labels (IATA) : 2.1 14.4. Packing group Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable 14.5. Environmental hazards Dangerous for the environment : No Marine pollutant : No Other information : No supplementary information available 14.6. Special precautions for user **Overland transport** Classification code (ADR) : 5F Special provisions (ADR) : 190, 327, 344, 625 Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P207, LP02 : PP87, RR6, L2 Special packing provisions (ADR) Mixed packing provisions (ADR) : MP9 Transport category (ADR) : 2 Special provisions for carriage - Packages (ADR) : V14 : CV9, CV12 Special provisions for carriage - Loading,

SELFREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available 15.2. Chemical safety assessment

SECTION 16: Other information

Full text of R-, H- and EUH-statements:	
Flam. Gas 1	Flammable gases, Category 1
Press. Gas	Gases under pressure
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

No additional information available